


RECTANGULAR TUBES



SL. No.	Section No.	A	B	C	Weight kg/m
1	14160	12.00	9.16	2.00	0.185
2	14145	20.00	10.00	0.75	0.115
3	14059	20.00	10.00	1.20	0.179
4	14058	20.00	10.00	1.50	0.219
5	14168	20.00	13.00	2.00	0.313
6	14203	22.00	16.00	1.50	0.284
7	14202	22.00	18.00	1.50	0.300
8	14136	25.00	10.00	2.50	0.405
9	14196	25.00	21.00	1.80	0.412
10	14060	25.40	12.70	0.81	0.160
11	14020	25.40	12.70	1.22	0.235
12	14014	25.40	19.05	0.85	0.195
13	14051	25.40	19.05	1.08	0.247
14	14197	25.40	19.05	1.25	0.283
15	14001	25.40	19.05	1.63	0.363
16	G103177	30.00	15.00	1.50	0.340
17	14138	30.00	20.00	2.00	0.497
18	G100651	30.00	20.00	3.00	0.713
19	14185	30.30	18.00	1.50	0.367
20	14204	32.00	23.00	2.00	0.551
21	14150	35.00	15.00	1.60	0.404
22	14046	36.00	23.50	0.64	0.202
23	14132	36.00	23.50	0.56	0.177
24	14146	36.00	24.00	0.70	0.221
25	14147	36.00	24.00	0.78	0.246
26	14148	36.00	24.00	0.88	0.276
27	14149	36.00	24.00	0.96	0.301
28	14095	36.50	24.50	0.70	0.225
29	14042	37.00	24.00	0.80	0.260
30	G101498	38.00	19.00	1.60	0.465
31	14102	38.10	19.05	1.50	0.439
32	14028	38.10	25.40	0.95	0.316
33	14015	38.10	25.40	1.10	0.364
34	14067	38.10	25.40	1.44	0.471
35	14002	38.10	25.40	2.00	0.643
36	14010	38.10	25.40	2.41	0.764
37	14086	38.10	25.40	3.18	0.980
38	14159	38.10	25.40	5.00	1.445
39	14012	40.00	15.00	1.50	0.421
40	14117	40.00	20.00	1.20	0.373

SL. No.	Section No.	A	B	C	Weight kg/m
41	G102588	40.00	20.00	1.60	0.491
42	14115	40.00	20.00	1.80	0.548
43	14019	40.00	20.00	2.00	0.604
44	14088	40.00	20.00	2.80	0.823
45	G103151	40.00	25.00	5.00	1.485
46	G100196	40.00	30.00	2.00	0.713
47	S5382	42.00	12.00	1.50	0.413
48	14043	44.45	25.40	3.20	1.096
49	G102151	45.00	20.00	1.50	0.502
50	14133	46.50	23.50	0.62	0.230
51	14047	46.50	23.50	0.74	0.273
52	14105	47.00	40.00	2.15	0.960
53	14041	48.00	24.00	0.80	0.304
54	14045	48.00	24.00	1.06	0.402
55	14083	48.00	24.00	1.80	0.665
56	14096	49.00	24.50	0.75	0.292
57	14091	49.84	25.94	2.00	0.775
58	G100901	50.00	10.00	2.50	0.742
59	14166	50.00	12.00	2.00	0.626
60	14144	50.00	25.00	2.00	0.767
61	14151	50.00	28.00	3.00	1.166
62	14142	50.00	38.00	1.50	0.688
63	14161	50.00	38.00	2.00	0.907
64	14137	50.00	40.00	1.60	0.750
65	G102556	50.80	16.00	1.20	0.417
66	14141	50.80	25.40	0.85	0.342
67	14027	50.80	25.40	0.95	0.381
68	14093	50.80	25.40	1.04	0.414
69	14036	50.80	25.40	1.13	0.451
70	14100	50.80	25.40	1.20	0.478
71	14068	50.80	25.40	1.44	0.570
72	14011	50.80	25.40	1.50	0.593
73	14112	50.80	25.40	1.60	0.631
74	14003	50.80	25.40	2.03	0.791
75	14188	50.80	25.40	2.36	0.911
76	14009	50.80	25.40	2.41	0.929
77	14118	50.80	25.40	3.00	1.137
78	14004	50.80	38.10	3.05	1.363
79	14119	53.00	38.10	1.20	0.574
80	14089	53.00	38.10	1.80	0.850
81	14213	54.00	34.00	2.00	0.907
82	14179	54.60	24.30	1.30	0.536
83	14016	55.00	35.00	3.00	1.360
84	14048	60.00	36.00	0.76	0.390
85	14212	60.00	40.00	2.00	1.037
86	14152	60.00	40.00	4.00	1.987
87	14080	61.00	37.00	0.90	0.471
88	14039	61.00	37.00	1.10	0.569
89	14054	62.00	24.00	0.84	0.382
90	14044	63.00	38.10	1.14	0.608

All dimensions in mm.

RECTANGULAR TUBES

SL. No.	Section No.	A	B	C	Weight kg/m
91	14070	63.00	38.10	1.47	0.781
92	14069	63.00	38.10	2.10	1.093
93	14005	63.00	38.10	2.95	1.516
94	14195	63.00	45.00	3.00	1.652
95	14055	63.50	38.10	1.02	0.547
96	14029	63.50	38.10	1.20	0.643
97	14073	63.50	38.10	1.70	0.901
98	14013	63.50	38.10	2.00	1.054
99	14030	65.00	25.00	0.98	0.466
100	14031	65.00	25.00	1.25	0.590
101	G102490	65.00	30.00	3.00	1.442
102	14177	65.00	45.00	1.50	0.867
103	14198	65.00	50.00	3.00	1.766
104	14101	68.50	38.10	1.75	0.974
105	14106	70.00	20.00	2.00	0.929
106	S5612	70.00	20.00	3.50	1.569
107	14099	70.00	35.00	1.50	0.826
108	14076	72.00	24.00	0.81	0.414
109	14025	72.00	24.00	1.20	0.606
110	14026	74.80	25.10	1.63	0.851
111	14153	75.00	12.00	1.80	0.811
112	14158	75.00	20.00	2.50	1.215
113	14097	75.00	24.50	0.80	0.423
114	14056	75.00	25.00	1.03	0.547
115	14034	75.00	25.00	1.15	0.607
116	14155	75.00	25.00	1.50	0.786
117	14017	75.00	25.00	2.00	1.036
118	14032	75.00	25.00	2.80	1.427
119	14140	75.00	25.00	3.25	1.641
120	14033	75.00	35.00	2.80	1.578
121	14120	75.00	36.00	0.80	0.472
122	14182	75.00	38.00	2.00	1.177
123	S6333	75.00	45.00	5.00	2.970
124	14178	75.00	50.00	6.00	3.661
125	G100171	76.00	38.00	3.20	1.859
126	14187	76.20	25.40	1.57	0.834
127	14186	76.20	25.40	3.18	1.635
128	G101627	76.20	38.10	3.00	1.754
129	G101386	76.20	38.10	4.00	2.296
130	14024	76.20	44.46	3.20	1.974
131	14090	77.50	37.50	0.80	0.489
132	14082	78.00	35.00	1.00	0.600
133	14061	78.00	38.00	1.00	0.615
134	14167	80.00	15.00	1.50	0.745
135	14139	80.00	20.00	2.00	1.037
136	14193	80.00	40.00	4.00	2.419
137	14128	80.00	50.00	2.00	1.360
138	14022	81.25	38.10	0.95	0.607
139	14072	81.25	38.10	1.25	0.781
140	14071	81.25	38.10	1.75	1.093

SL. No.	Section No.	A	B	C	Weight kg/m
141	14006	81.25	38.10	2.64	1.626
142	14181	82.00	38.00	2.00	1.253
143	14172	82.50	38.00	1.25	0.797
144	14110	82.50	40.50	1.30	0.845
145	14007	82.60	38.10	3.25	2.004
146	14092	89.22	45.66	2.00	1.414
147	14192	90.00	15.00	1.50	0.826
148	14131	90.00	36.00	0.85	0.571
149	14215	90.00	60.00	2.00	1.577
150	14206	90.56	47.38	2.10	1.517
151	14121	92.00	36.00	0.90	0.613
152	14165	94.00	54.00	3.50	2.665
153	14052	95.00	24.00	0.95	0.601
154	14053	95.00	24.00	1.17	0.738
155	14063	95.00	38.00	0.90	0.637
156	14199	95.00	53.00	3.50	2.665
157	14129	99.00	52.00	3.00	2.349
158	14200	99.00	52.00	4.00	3.089
159	14162	100.00	15.00	1.50	0.907
160	14103	100.00	15.00	2.00	1.198
161	14065	100.00	20.00	1.40	0.886
162	14175	100.00	25.00	1.50	0.988
163	14194	100.00	25.00	2.00	1.307
164	14114	100.00	35.00	3.00	2.089
165	14062	100.00	40.00	1.10	0.818
166	14023	100.00	40.00	1.30	0.976
167	14074	100.00	40.00	1.54	1.139
168	14018	100.00	40.00	2.00	1.469
169	14154	100.00	50.00	1.40	1.113
170	14176	100.00	50.00	1.50	1.190
171	14066	100.00	50.00	1.70	1.345
172	S4409	100.00	50.00	2.00	1.576
173	14087	100.00	50.00	2.80	2.183
174	14064	100.00	50.00	3.00	2.332
175	14085	100.00	50.00	3.25	2.518
176	G101038	100.00	50.00	3.90	2.995
177	14211	100.00	50.00	5.00	3.780
178	14143	100.00	50.00	6.00	4.471
179	14077	101.60	25.40	1.10	0.739
180	14037	101.60	25.40	1.35	0.906
181	14050	101.60	25.40	1.63	1.089
182	14190	101.60	25.40	3.18	2.072
183	14035	101.60	44.75	1.35	1.051
184	14075	101.60	44.75	1.75	1.367
185	14021	101.60	44.75	2.40	1.834
186	14008	101.60	44.75	3.18	2.404
187	14189	101.60	50.80	3.18	2.508
188	14049	101.60	50.80	4.78	3.686
189	14124	101.60	50.80	6.35	4.790
190	14130	101.60	44.75	2.00	1.537

All dimensions in mm.

RECTANGULAR TUBES


SL. No.	Section No.	A	B	C	Weight kg/m
191	14104	113.42	58.81	2.10	1.905
192	14183	116.00	38.00	2.00	1.620
193	14220	120.00	56.00	5.00	4.482
194	14231	120.00	60.00	3.00	2.819
195	14122	120.00	60.00	5.00	4.590
196	14057	123.00	24.00	1.06	0.828
197	14170	123.00	24.00	2.00	1.544
198	14113	124.00	48.75	4.00	3.559
199	S6577	125.00	25.00	2.00	1.577
200	14209	125.00	50.00	2.70	2.473
201	14210	125.00	62.50	3.00	2.940
202	14040	127.00	25.40	1.30	1.052
203	14094	127.00	25.40	1.79	1.439
204	14164	127.00	25.40	2.00	1.603
205	14157	127.00	25.40	3.18	2.508
206	14079	127.00	38.10	1.20	1.051
207	14038	127.00	38.10	1.35	1.184
208	14078	127.00	38.10	1.74	1.518
209	14174	127.00	44.45	1.95	1.764
210	14081	127.00	44.45	3.18	2.834
211	14134	127.00	44.45	5.00	4.359
212	14201	127.00	50.80	3.00	2.783
213	14111	127.00	50.80	4.76	4.325
214	14180	127.00	63.50	4.00	3.942
215	G102861	130.00	60.00	3.00	2.981
216	14214	142.00	55.00	2.50	2.592
217	14156	146.00	58.00	2.50	2.686
218	14169	150.00	25.00	1.50	1.393
219	G100337	150.00	25.00	2.00	1.847
220	14184	150.00	38.00	2.00	1.987
221	14135	150.00	44.45	3.18	3.230
222	14116	150.00	50.00	2.00	2.116
223	S6187	150.00	50.00	2.50	2.633
224	14205	150.00	50.00	3.00	3.143
225	14125	150.00	50.00	4.78	4.916
226	14109	150.00	75.00	2.00	2.386
227	14171	150.00	75.00	3.00	3.548
228	14123	150.00	75.00	3.50	4.120
229	G103315	150.00	100.00	9.50	11.850
230	G101282	160.00	65.00	3.00	3.548
231	14191	188.00	50.00	3.00	3.758
232	14207	200.00	50.00	5.00	6.480
233	S6810	200.00	65.00	2.50	3.510
234	14221	200.00	100.00	4.00	6.307
235	14126	200.00	100.00	5.00	7.830
236	14127	200.00	125.00	8.00	13.349
237	G102101	200.00	150.00	5.00	9.180
238	14173	200.00	150.00	10.00	17.820
239	14163	203.20	50.80	2.50	3.362
240	14107	203.20	50.80	3.20	4.279

SL. No.	Section No.	A	B	C	Weight kg/m
241	G100839	220.00	140.00	4.00	7.603
242	G100985	250.00	100.00	6.00	10.951
243	14208	300.00	50.00	3.00	5.573
244	G102100	300.00	150.00	7.00	16.481

All dimensions in mm.

RECTANGULAR TUBES

RECTANGULAR TUBE WITH CORNER RADIUS



SL. No.	Section No.	A	B	C	R1	R2	Weight kg/m
1	15189	25.00	15.00	3.00	0.40	3.00	0.530
2	15247	30.00	15.00	0.80	1.20	2.00	0.182
3	15230	30.00	18.00	1.20	0.30	1.50	0.290
4	15123	33.00	20.00	1.20	0.40	1.50	0.323
5	G015187	33.00	20.00	1.20	1.30	2.50	0.317
6	15256	45.00	20.00	3.00	0.40	3.00	0.935
7	15142	49.80	20.00	1.20	1.30	2.50	0.426
8	15212	49.80	20.00	1.20	1.30	2.50	0.426
9	15258	50.00	25.00	2.00	4.00	6.00	0.720
10	15241	50.80	25.40	2.50	0.70	3.20	0.939
11	15293	60.00	25.00	1.50	1.50	3.00	0.649
12	15274	62.00	17.00	1.00	3.00	4.00	0.400
13	G102824	65.00	16.00	1.50	1.00	2.50	0.632
14	15249	65.00	24.00	1.20	4.10	5.30	0.535
15	15294	75.00	25.00	3.38	0.40	2.00	1.693
16	G100451	75.00	25.00	4.00	0.40	2.00	1.978
17	15151	76.20	38.10	4.78	1.00	1.00	2.704
18	15155	80.00	40.00	4.00	2.00	2.00	2.419
19	G102798	80.00	50.00	3.00	2.00	5.00	1.960
20	15207	80.38	41.84	4.56	3.17	0.40	3.201
21	15325	100.00	25.00	2.85	0.40	2.00	1.343
22	15179	100.00	80.00	2.80	1.20	4.00	2.603
23	G101662	108.00	90.00	5.00	8.00	13.00	4.833
24	15335	111.00	53.00	5.00	10.00	3.00	4.369
25	G103302	116.00	80.00	1.80	0.30	0.50	1.870
26	15157	120.00	110.00	3.65	2.00	2.00	4.389
27	G101663	138.00	123.00	5.00	10.00	15.00	6.487
28	15186	140.00	120.00	4.00	5.00	9.00	5.313
29	G100787	150.00	100.00	5.00	0.40	3.00	6.460
30	15319	150.00	100.00	8.00	2.00	10.00	9.886
31	15214	168.00	72.00	4.00	4.00	8.00	4.900
32	15318	200.00	100.00	8.00	2.00	10.00	12.046
33	15229	245.00	97.00	3.50	0.40	1.00	6.330
34	15264	254.00	89.60	5.00	4.80	9.80	8.838
35	15317	257.65	133.82	5.00	0.40	2.00	10.291