


ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	G103126	5.60	0.70	0.029
2	13422	5.60	1.20	0.045
3	13311	6.20	0.90	0.040
4	13125	6.20	1.20	0.050
5	13630	6.35	1.22	0.053
6	13176	6.35	1.50	0.062
7	13245	6.35	2.07	0.075
8	13576	7.25	1.42	0.070
9	13118	7.40	1.50	0.075
10	13286	7.75	1.00	0.057
11	13481	7.80	1.00	0.058
12	13255	8.00	1.00	0.059
13	13355	8.00	1.20	0.069
14	13036	8.00	1.27	0.072
15	13063	8.00	1.50	0.083
16	13775	8.00	1.80	0.095
17	13445	8.00	2.00	0.102
18	13692	8.10	0.50	0.032
19	13781	8.10	2.35	0.115
20	13149	8.30	1.45	0.084
21	13670	8.46	0.68	0.045
22	13602	8.60	0.80	0.053
23	13265	8.80	2.65	0.138
24	13208	9.00	0.53	0.038
25	13329	9.05	1.00	0.063
26	13326	9.20	0.78	0.056
27	13284	9.35	0.55	0.041
28	13209	9.35	0.64	0.048
29	13553	9.35	0.65	0.048
30	13163	9.50	1.35	0.093
31	13144	9.52	0.78	0.058
32	13003	9.52	0.92	0.067
33	13210	9.52	1.00	0.073
34	13303	9.52	1.13	0.080
35	13001	9.52	1.22	0.086
36	13002	9.52	1.63	0.109
37	13784	9.60	0.80	0.060
38	13536	9.70	1.40	0.099
39	13647	9.75	2.13	0.138
40	13394	10.00	0.80	0.062
41	13524	10.00	0.82	0.064
42	13097	10.00	1.00	0.076
43	13093	10.00	1.50	0.108
44	13436	10.50	0.51	0.043
45	13381	10.50	1.70	0.127

SL. No.	Section No.	ØA	B	Weight kg/m
46	13159	10.80	1.40	0.112
47	13578	11.00	0.42	0.038
48	13207	11.00	0.48	0.043
49	13488	11.00	3.00	0.204
50	13396	11.10	1.00	0.086
51	13277	11.11	1.60	0.129
52	13231	12.00	0.48	0.047
53	13181	12.00	0.55	0.054
54	13145	12.00	0.72	0.068
55	13130	12.00	0.91	0.086
56	13128	12.00	1.00	0.093
57	13791	12.00	1.00	0.093
58	13745	12.00	2.20	0.183
59	13462	12.00	3.00	0.229
60	13004	12.70	0.86	0.086
61	13005	12.70	1.19	0.116
62	13779	12.70	1.40	0.134
63	13006	12.70	1.63	0.153
64	13007	12.70	2.03	0.184
65	13058	12.70	2.20	0.196
66	13608	12.70	2.55	0.220
67	13263	13.00	1.00	0.102
68	13126	13.00	1.85	0.175
69	13664	14.00	0.87	0.097
70	G101454	14.00	1.10	0.120
71	13234	14.00	1.55	0.164
72	13237	14.00	3.10	0.287
73	13067	14.50	1.22	0.137
74	13211	15.00	0.54	0.066
75	13182	15.00	0.60	0.073
76	13685	15.00	1.00	0.119
77	13008	15.00	2.00	0.221
78	13267	15.00	4.75	0.413
79	13228	15.20	0.72	0.088
80	13465	15.40	3.20	0.331
81	13621	15.50	2.35	0.262
82	13727	15.50	4.25	0.406
83	13751	15.70	3.50	0.362
84	13009	15.88	0.92	0.117
85	13212	15.88	0.96	0.121
86	13010	15.88	1.22	0.152
87	13011	15.88	1.63	0.197
88	13459	15.88	2.00	0.235
89	13012	15.88	2.38	0.272
90	13274	16.00	1.00	0.127
91	13691	16.00	1.60	0.195
92	13070	16.00	2.20	0.257
93	13124	16.00	2.75	0.309
94	13778	16.00	3.50	0.371
95	13334	16.90	2.45	0.300

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
96	13232	17.00	0.56	0.078
97	G101455	17.00	1.10	0.148
98	13169	17.00	2.60	0.318
99	13071	17.10	2.10	0.267
100	13792	17.50	3.30	0.397
101	13157	18.00	0.60	0.089
102	G100668	18.00	1.00	0.144
103	13492	18.00	1.30	0.184
104	13132	18.00	1.63	0.226
105	13185	18.00	2.00	0.271
106	13579	18.50	0.47	0.072
107	13213	18.50	0.51	0.078
108	13612	18.50	0.54	0.082
109	13183	18.50	0.60	0.091
110	13146	18.50	0.72	0.108
111	13643	18.50	1.00	0.148
112	13673	18.60	1.15	0.170
113	13165	19.00	1.15	0.174
114	13335	19.00	2.65	0.367
115	13257	19.05	0.82	0.127
116	13013	19.05	0.92	0.141
117	13214	19.05	0.95	0.145
118	13014	19.05	1.12	0.171
119	13368	19.05	1.20	0.182
120	13304	19.05	1.30	0.195
121	13015	19.05	1.63	0.241
122	13016	19.05	1.70	0.249
123	13460	19.05	2.00	0.289
124	13017	19.05	2.50	0.351
125	13461	19.05	3.18	0.428
126	13645	19.50	1.50	0.229
127	13072	19.60	2.30	0.337
128	13150	19.60	2.40	0.350
129	13035	19.60	3.05	0.428
130	13347	19.80	6.20	0.715
131	13359	20.00	1.00	0.161
132	G101456	20.00	1.10	0.176
133	13018	20.00	1.25	0.199
134	13409	20.00	1.50	0.235
135	13113	20.00	1.63	0.254
136	13251	20.00	3.15	0.450
137	13857	20.50	2.30	0.355
138	G103068	21.00	4.25	0.604
139	13272	21.00	5.10	0.688
140	13336	21.10	3.00	0.460
141	S4491	21.18	1.60	0.266
142	13107	21.20	2.55	0.403
143	G101224	21.30	2.77	0.435
144	13615	21.40	4.80	0.676
145	13073	21.50	2.50	0.403

SL. No.	Section No.	ØA	B	Weight kg/m
146	13168	21.70	3.10	0.489
147	13262	22.00	0.55	0.100
148	13770	22.00	0.55	0.100
149	13752	22.00	0.75	0.135
150	13253	22.00	0.85	0.152
151	13626	22.00	1.00	0.178
152	13603	22.00	1.20	0.212
153	13562	22.00	1.25	0.220
154	13561	22.00	1.60	0.277
155	13238	22.00	4.10	0.623
156	13589	22.00	5.00	0.721
157	G103083	22.00	5.25	0.746
158	13019	22.22	0.88	0.159
159	13376	22.22	1.20	0.214
160	13061	22.22	1.60	0.280
161	13278	22.23	1.00	0.180
162	S4492	22.30	1.60	0.281
163	13796	22.50	6.00	0.840
164	13384	23.00	1.40	0.257
165	G101459	23.00	5.445	0.811
166	13665	23.40	1.00	0.190
167	13108	23.70	2.85	0.504
168	13337	23.90	3.65	0.626
169	13147	24.00	0.84	0.165
170	13308	24.00	1.25	0.241
171	13133	24.00	1.63	0.309
172	13080	24.00	2.75	0.496
173	13523	25.00	1.00	0.204
174	13117	25.00	1.22	0.246
175	13034	25.00	1.50	0.299
176	13363	25.00	1.50	0.299
177	13470	25.00	1.50	0.299
178	13020	25.00	2.00	0.390
179	13566	25.00	2.00	0.390
180	13021	25.00	2.50	0.477
181	13862	25.00	3.00	0.560
182	13122	25.00	4.00	0.713
183	G101464	25.00	4.20	0.741
184	13721	25.00	5.00	0.848
185	13378	25.00	6.45	1.015
186	13776	25.20	0.90	0.186
187	13369	25.40	0.83	0.173
188	13215	25.40	0.87	0.181
189	13222	25.40	1.00	0.207
190	13305	25.40	1.06	0.219
191	13022	25.40	1.22	0.250
192	13306	25.40	1.22	0.250
193	13577	25.40	1.30	0.266
194	13023	25.40	1.60	0.323
195	13129	25.40	1.90	0.379

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
196	13090	25.40	3.20	0.603
197	13293	25.40	5.95	0.981
198	G102607	25.50	0.65	0.137
199	13444	25.91	4.63	0.836
200	13787	26.00	1.60	0.331
201	13441	26.00	3.00	0.585
202	13479	26.00	3.50	0.668
203	G101462	26.00	5.425	0.947
204	13683	26.00	6.50	1.075
205	13837	26.51	3.43	0.671
206	13641	26.67	3.17	0.633
207	G101225	26.70	2.87	0.580
208	13186	27.00	2.50	0.520
209	13127	27.00	3.00	0.611
210	13109	27.00	3.20	0.646
211	13318	27.00	5.50	1.003
212	13338	27.20	3.95	0.779
213	13387	27.50	1.50	0.331
214	13360	28.00	1.00	0.229
215	13401	28.00	1.60	0.358
216	13110	28.00	3.00	0.636
217	13655	28.00	3.00	0.636
218	13038	28.00	4.00	0.814
219	13705	28.00	5.35	1.028
220	13315	28.00	9.50	1.491
221	13809	28.60	1.60	0.366
222	13114	28.60	1.63	0.373
223	13081	28.60	3.30	0.708
224	13429	28.70	2.28	0.511
225	13417	29.00	1.00	0.238
226	13235	29.00	2.50	0.562
227	13386	30.00	0.70	0.174
228	13260	30.00	0.77	0.191
229	13382	30.00	1.00	0.246
230	13047	30.00	1.50	0.363
231	13264	30.00	2.00	0.475
232	13829	30.00	2.00	0.475
233	13379	30.00	2.30	0.540
234	13190	30.00	2.50	0.583
235	13866	30.00	3.00	0.687
236	13639	30.00	4.60	0.991
237	13101	30.00	5.25	1.102
238	13171	30.00	6.65	1.318
239	13068	30.00	7.25	1.399
240	13024	30.10	1.22	0.299
241	13339	30.20	4.20	0.926
242	13628	31.00	2.25	0.549
243	13654	31.00	3.00	0.713
244	13111	31.00	3.50	0.816
245	13798	31.75	0.80	0.210

SL. No.	Section No.	ØA	B	Weight kg/m
246	13254	31.75	0.95	0.248
247	13229	31.75	1.05	0.273
248	13571	31.75	1.00	0.261
249	13530	31.75	1.10	0.286
250	13025	31.75	1.22	0.316
251	13026	31.75	1.63	0.416
252	13027	31.75	2.00	0.505
253	13094	31.75	3.18	0.771
254	13758	31.80	3.15	0.766
255	13599	31.80	3.20	0.776
256	13458	31.80	4.50	1.042
257	13707	31.90	5.10	1.159
258	13328	32.00	1.20	0.314
259	G100739	32.00	1.50	0.388
260	13248	32.00	1.60	0.412
261	13100	32.00	2.00	0.509
262	13598	32.00	3.00	0.738
263	13082	32.00	3.50	0.846
264	13066	32.00	4.00	0.950
265	G102699	32.00	4.00	0.950
266	13700	32.00	4.25	1.000
267	13375	32.00	4.50	1.050
268	13496	32.00	8.00	1.629
269	13581	32.00	10.00	1.866
270	13865	32.25	4.69	1.097
271	13640	32.25	4.86	1.129
272	13771	32.50	3.55	0.872
273	13591	32.80	5.80	1.328
274	13137	33.00	3.50	0.875
275	13483	33.00	6.20	1.409
276	13044	33.00	6.25	1.418
277	G103066	33.00	7.60	1.637
278	13570	33.30	1.10	0.300
279	G101226	33.40	3.38	0.861
280	G100271	34.00	1.00	0.280
281	13600	34.00	4.50	1.126
282	13199	34.00	5.75	1.378
283	13447	34.00	8.75	1.874
284	G102443	34.20	2.20	0.597
285	13736	34.25	5.25	1.291
286	13730	34.64	1.44	0.406
287	G100987	34.70	9.75	2.063
288	13342	34.80	4.90	1.242
289	13442	35.00	1.20	0.344
290	13393	35.00	3.00	0.814
291	13202	35.00	4.50	1.164
292	13712	35.00	5.00	1.272
293	13316	35.00	7.00	1.663
294	13633	35.00	8.50	1.911
295	S4303	35.10	3.40	0.914

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
296	13585	35.20	4.50	1.172
297	13706	35.40	4.90	1.268
298	13703	35.80	4.90	1.284
299	13446	35.90	4.95	1.300
300	G100740	36.00	1.30	0.383
301	13135	36.00	2.00	0.576
302	13828	36.00	2.00	0.577
303	13103	36.00	4.00	1.085
304	13607	36.00	7.50	1.813
305	13443	36.00	8.00	1.900
306	13567	36.10	1.60	0.468
307	13250	36.50	3.00	0.852
308	S6192	37.00	4.00	1.120
309	13388	37.00	5.00	1.357
310	13083	37.50	4.25	1.198
311	13256	37.90	1.70	0.522
312	13711	38.00	1.00	0.314
313	13411	38.00	1.20	0.375
314	13091	38.00	2.00	0.611
315	13710	38.00	3.00	0.891
316	13323	38.00	5.90	1.606
317	13057	38.00	6.50	1.737
318	13385	38.00	6.75	1.789
319	13367	38.00	7.50	1.940
320	13224	38.10	1.30	0.405
321	13028	38.10	1.63	0.504
322	13029	38.10	2.00	0.612
323	13030	38.10	2.50	0.755
324	13099	38.10	7.55	1.956
325	13140	38.20	3.20	0.950
326	13762	38.80	9.52	2.365
327	13606	39.00	9.00	2.290
328	13769	39.00	4.00	1.188
329	13646	39.10	1.50	0.478
330	13340	39.10	5.45	1.555
331	G103070	39.50	8.25	2.187
332	13763	39.80	10.03	2.532
333	13786	40.00	1.00	0.331
334	13480	40.00	1.20	0.395
335	G100741	40.00	1.30	0.427
336	13078	40.00	1.50	0.490
337	13048	40.00	2.00	0.645
338	13152	40.00	2.50	0.795
339	13098	40.00	3.00	0.941
340	13134	40.00	4.00	1.221
341	13370	40.00	5.00	1.484
342	G101738	40.00	5.00	1.484
343	13507	40.00	7.00	1.959
344	13389	40.00	8.00	2.171
345	13276	40.00	11.00	2.705

SL. No.	Section No.	ØA	B	Weight kg/m
346	13766	40.00	14.00	3.088
347	13504	40.60	1.80	0.592
348	13174	41.00	5.00	1.527
349	13416	41.80	4.56	1.440
350	13649	41.80	4.56	1.440
351	13827	42.00	2.00	0.679
352	13089	42.00	2.00	0.679
353	13319	42.00	7.50	2.195
354	13584	42.00	8.25	2.362
355	13412	42.00	11.50	2.975
356	13807	42.10	4.75	1.505
357	13808	42.15	1.45	0.501
358	13737	42.16	3.55	1.163
359	13419	42.16	4.85	1.535
360	S6650	42.20	2.70	0.905
361	13772	42.50	3.95	1.292
362	13696	42.50	8.75	2.505
363	13661	42.55	4.90	1.565
364	13564	42.70	9.35	2.645
365	S5990	43.00	6.25	1.948
366	13116	43.00	7.00	2.137
367	13601	43.40	10.00	2.833
368	G100742	44.00	1.30	0.471
369	13468	44.00	3.00	1.043
370	13194	44.00	10.00	2.884
371	13341	44.40	6.35	2.049
372	13750	44.45	1.60	0.582
373	G100629	44.45	9.525	2.822
374	13077	45.00	2.50	0.901
375	G101818	45.00	3.00	1.069
376	13200	45.00	4.00	1.391
377	13331	45.00	5.00	1.696
378	13487	45.00	14.00	3.681
379	13565	45.20	10.30	3.049
380	13505	45.70	1.80	0.670
381	13084	46.00	5.00	1.738
382	13136	46.00	5.50	1.889
383	13310	46.00	6.00	2.035
384	G103069	46.00	8.75	2.765
385	G103067	46.00	9.75	2.998
386	13804	46.25	1.00	0.384
387	G102281	47.50	9.20	2.989
388	G103071	47.60	8.35	2.780
389	G100743	48.00	1.30	0.515
390	13826	48.00	2.00	0.780
391	G101698	48.00	3.00	1.145
392	13298	48.00	4.00	1.492
393	13138	48.00	5.00	1.823
394	13056	48.00	8.75	2.913
395	13088	48.00	9.00	2.977

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
396	13512	48.10	4.60	1.697
397	13667	48.10	4.75	1.747
398	13408	48.16	4.51	1.670
399	13172	48.26	3.68	1.391
400	13420	48.26	5.08	1.861
401	13510	48.30	4.00	1.503
402	13767	48.30	3.00	1.153
403	13588	48.41	4.47	1.666
404	S4210	48.99	4.90	1.833
405	13597	49.90	10.75	3.570
406	13271	50.00	1.50	0.617
407	13467	50.00	2.00	0.814
408	13064	50.00	2.50	1.007
409	13757	50.00	2.50	1.007
410	13065	50.00	3.00	1.196
411	13121	50.00	5.00	1.908
412	13327	50.00	6.00	2.239
413	13371	50.00	7.50	2.704
414	13583	50.00	10.00	3.393
415	13713	50.00	12.50	3.976
416	13131	50.20	3.10	1.238
417	G101223	50.80	1.244	0.523
418	13031	50.80	1.63	0.680
419	13506	50.80	1.80	0.748
420	13032	50.80	2.03	0.840
421	13033	50.80	2.50	1.024
422	13414	50.80	3.00	1.216
423	G100569	50.80	3.20	1.292
424	13282	50.80	6.35	2.400
425	13112	51.00	6.00	2.290
426	13768	51.00	18.00	5.038
427	G101691	51.40	8.70	3.151
428	G101387	51.40	9.70	3.431
429	S3923	51.80	3.65	1.491
430	G100744	52.00	1.30	0.559
431	13042	52.00	7.00	2.672
432	13037	52.00	9.50	3.425
433	G100986	52.00	11.00	3.826
434	13437	54.00	1.60	0.711
435	13825	54.00	2.00	0.882
436	13672	54.00	8.75	3.358
437	13170	54.00	10.00	3.732
438	13783	54.00	12.00	4.275
439	13268	55.00	2.50	1.113
440	13777	55.40	2.00	0.906
441	13398	55.80	7.35	3.021
442	G100624	56.00	1.30	0.603
443	13632	56.00	5.50	2.356
444	13556	56.80	14.40	5.179
445	13674	56.86	5.09	2.235

SL. No.	Section No.	ØA	B	Weight kg/m
446	13085	57.00	6.75	2.877
447	13652	57.00	7.50	3.149
448	13549	57.00	18.00	5.955
449	13049	57.60	2.90	1.346
450	13682	57.80	16.90	5.863
451	13372	58.80	11.50	4.614
452	13062	59.50	4.50	2.099
453	G100630	60.00	1.30	0.647
454	13075	60.00	2.00	0.984
455	13824	60.00	2.00	0.984
456	13395	60.00	2.50	1.219
457	13817	60.00	3.00	1.450
458	13748	60.00	3.50	1.677
459	G101819	60.00	4.00	1.900
460	13196	60.00	10.00	4.241
461	13761	60.00	12.00	4.886
462	13438	60.00	20.00	6.786
463	13218	60.32	3.91	1.870
464	13525	60.33	5.28	2.468
465	13236	60.33	5.54	2.575
466	13653	61.00	8.00	3.596
467	G102300	61.00	11.50	4.829
468	13782	61.07	5.54	2.607
469	13239	62.00	6.37	3.005
470	G103303	62.00	15.00	5.980
471	13050	63.00	1.60	0.833
472	13526	63.00	2.00	1.035
473	13453	63.00	3.00	1.527
474	13404	63.00	4.00	2.002
475	13397	63.00	9.00	4.122
476	13059	63.50	3.18	1.627
477	13625	63.50	6.00	2.926
478	13139	63.50	7.00	3.354
479	S5991	63.50	9.55	4.370
480	G100625	64.00	1.30	0.691
481	13448	64.00	6.00	2.952
482	13671	64.00	8.25	3.901
483	G100222	64.00	13.50	5.783
484	G100962	64.00	14.50	6.088
485	13175	65.00	1.00	0.542
486	G100156	65.00	3.50	1.826
487	S5660	65.00	6.00	3.003
488	13823	66.00	2.00	1.086
489	13119	66.00	6.00	3.053
490	13241	66.20	3.05	1.633
491	G100626	68.00	1.30	0.736
492	G100306	68.00	2.00	1.120
493	13046	69.35	3.18	1.782
494	13166	69.50	12.50	6.043
495	13695	70.00	2.00	1.154

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
496	13620	70.00	4.00	2.239
497	13508	70.00	5.00	2.757
498	13780	70.00	15.00	6.998
499	13746	70.00	16.50	7.488
500	13040	70.00	17.50	7.793
501	13614	70.00	25.00	9.543
502	13451	70.50	19.75	8.502
503	13822	72.00	2.00	1.188
504	13690	72.00	2.50	1.474
505	13299	72.00	12.00	6.107
506	G100548	72.30	1.30	0.783
507	13704	73.00	9.00	4.886
508	13153	73.03	5.16	2.970
509	13086	73.03	7.00	3.920
510	13233	75.00	3.00	1.832
511	13193	75.00	18.00	8.702
512	G100549	76.00	1.30	0.824
513	13269	76.00	2.50	1.559
514	13115	76.00	7.00	4.096
515	13187	76.10	4.50	2.732
516	13225	76.20	1.30	0.825
517	13723	76.20	1.45	0.919
518	13259	76.20	1.60	1.012
519	13658	76.20	2.00	1.259
520	13141	76.20	3.18	1.970
521	13281	76.20	6.35	3.762
522	13719	76.50	27.75	11.475
523	13051	76.20	9.50	5.375
524	13624	76.20	10.00	5.615
525	13722	76.20	12.70	6.841
526	13498	76.50	23.50	10.565
527	13821	78.00	2.00	1.289
528	13471	78.18	4.00	2.517
529	13773	79.50	19.75	10.010
530	13217	80.00	2.50	1.643
531	13569	80.00	3.00	1.959
532	13120	80.00	4.00	2.579
533	13349	80.00	5.00	3.180
534	G101741	80.00	5.00	3.180
535	13191	80.00	6.00	3.766
536	13391	80.00	8.00	4.886
537	13734	80.00	10.00	5.938
538	13810	80.00	10.00	5.938
539	G101739	80.00	10.00	5.938
540	13515	80.00	11.50	6.682
541	13164	80.00	15.00	8.270
542	13744	80.00	15.00	8.270
543	13742	80.00	20.00	10.179
544	13725	80.00	21.00	10.509
545	13324	80.00	25.00	11.663

SL. No.	Section No.	ØA	B	Weight kg/m
546	13527	80.20	2.00	1.327
547	G100550	80.80	1.30	0.877
548	13216	82.00	7.00	4.453
549	13261	82.00	21.50	11.033
550	13092	82.55	3.20	2.154
551	13820	84.00	2.00	1.391
552	13313	85.00	1.30	0.922
553	13802	85.00	12.50	7.687
554	S6514	85.00	23.50	12.259
555	13806	85.00	27.50	13.413
556	13189	86.00	8.00	5.293
557	13045	86.35	3.18	2.243
558	13714	88.00	2.00	1.459
559	13715	88.00	3.00	2.163
560	S6807	88.00	17.50	10.465
561	13154	88.90	4.05	2.915
562	13106	88.90	5.36	3.798
563	13430	88.90	5.49	3.884
564	13142	88.90	6.35	4.446
565	13295	88.90	7.62	5.253
566	13617	88.90	7.62	5.254
567	13637	88.90	7.62	5.254
568	13493	88.90	9.52	6.410
569	S6275	89.00	10.00	6.701
570	13698	90.00	1.70	1.273
571	13613	90.00	2.50	1.856
572	13162	90.00	3.50	2.568
573	13074	90.00	4.00	2.918
574	G101086	90.00	6.00	4.275
575	G100098	90.00	11.00	7.371
576	13759	90.00	15.00	9.543
577	13055	90.00	17.50	10.762
578	S6660	90.24	7.62	5.340
579	13760	90.50	8.00	5.598
580	13192	91.80	3.30	2.477
581	13720	92.00	10.00	6.955
582	13611	92.00	14.50	9.532
583	13552	92.00	22.00	13.063
584	S6195	92.00	36.25	17.142
585	13582	92.10	6.27	4.568
586	13854	94.00	14.00	9.500
587	13728	95.00	2.50	1.962
588	13500	95.25	12.70	8.893
589	13790	96.00	3.00	2.367
590	13204	96.00	11.50	8.243
591	13179	96.00	19.50	12.653
592	13320	96.50	5.00	3.880
593	13198	96.50	10.00	7.337
594	13592	96.50	25.00	15.162
595	13423	98.00	4.00	3.189

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
596	13258	98.00	26.00	15.878
597	13716	100.00	2.50	2.068
598	13095	100.00	3.20	2.627
599	13242	100.00	4.00	3.257
600	13540	100.00	5.00	4.029
601	13520	100.00	6.00	4.784
602	13252	100.00	8.00	6.243
603	G102697	100.00	10.00	7.634
604	13729	100.00	15.00	10.815
605	13743	100.00	15.00	10.815
606	13800	100.00	16.00	11.400
607	S6808	100.00	17.00	11.969
608	13732	100.00	20.00	13.572
609	13659	101.60	2.30	1.937
610	13219	101.60	3.20	2.671
611	13864	101.60	4.45	3.663
612	13069	101.60	5.74	4.667
613	13296	101.60	8.08	6.409
614	13407	101.60	10.00	7.770
615	13495	101.60	19.05	13.339
616	G101965	101.60	28.55	17.690
617	13322	102.00	12.00	9.160
618	13521	105.00	2.50	2.174
619	13604	105.15	1.90	1.664
620	13666	106.00	3.70	3.211
621	13852	106.00	14.00	10.925
622	13853	106.00	20.00	14.590
623	13151	108.00	3.00	2.672
624	13344	109.00	2.00	1.815
625	13455	110.00	5.00	4.453
626	S6003	110.00	10.00	8.842
627	13668	110.00	15.00	12.087
628	S6642	110.00	23.50	17.242
629	13178	112.00	11.50	9.803
630	13815	112.50	5.50	4.992
631	S6809	113.00	17.50	14.176
632	13491	113.50	7.20	6.492
633	13605	113.54	2.04	1.925
634	13638	114.20	8.51	7.629
635	13678	114.30	6.02	5.529
636	13158	114.30	6.35	5.814
637	13330	114.30	8.56	7.678
638	13618	114.30	8.56	7.678
639	13076	114.50	4.50	4.199
640	13490	114.50	5.50	5.085
641	13380	117.70	11.75	10.560
642	13345	118.00	2.00	1.967
643	G102145	118.00	38.75	26.049
644	G102144	118.00	40.25	26.545
645	13348	120.00	1.50	1.507

SL. No.	Section No.	ØA	B	Weight kg/m
646	13548	120.00	3.00	2.977
647	S6158	120.00	3.50	3.459
648	13785	120.00	4.00	3.936
649	13593	120.00	5.00	4.877
650	G103209	120.00	6.00	5.802
651	G101740	120.00	8.00	7.600
652	13586	120.00	8.00	7.600
653	13657	120.00	10.00	9.331
654	13662	120.00	12.00	10.993
655	13616	120.00	12.00	10.993
656	13709	120.00	13.00	11.799
657	13684	120.00	15.00	13.360
658	13733	120.00	17.50	15.215
659	13735	120.00	17.50	15.215
660	13755	120.00	20.00	16.965
661	13366	120.65	6.35	6.156
662	13686	121.00	30.50	23.413
663	13399	122.00	23.50	19.634
664	13541	122.50	30.00	23.538
665	13533	125.00	2.00	2.087
666	G100266	125.00	3.00	3.105
667	G100154	125.00	6.00	6.056
668	13173	125.00	6.50	6.533
669	G103311	125.00	7.00	7.006
670	13830	125.00	10.00	9.755
671	13413	125.00	12.00	11.502
672	13795	125.00	15.00	13.996
673	13052	125.00	20.00	17.813
674	13697	126.50	24.25	21.032
675	13321	127.00	3.50	3.666
676	13816	127.00	6.50	6.644
677	13801	127.00	9.07	9.073
678	G103282	127.00	19.05	17.443
679	13749	128.00	39.50	29.652
680	13201	130.00	7.50	7.793
681	13390	130.00	9.00	9.237
682	13831	130.00	10.00	10.179
683	13609	130.00	12.00	12.011
684	13764	130.00	23.50	21.229
685	13595	130.00	25.00	22.266
686	13450	130.00	28.50	24.537
687	13610	130.00	33.50	27.421
688	G100409	131.50	19.50	18.525
689	13774	131.00	20.50	19.215
690	13754	132.00	2.50	2.746
691	13454	132.00	5.00	5.386
692	13542	133.00	4.00	4.377
693	13765	133.00	15.00	15.014
694	13517	133.00	28.00	24.938
695	13374	135.00	32.50	28.257

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
696	13301	136.00	16.50	16.725
697	S6486	137.00	3.00	3.410
698	13283	137.00	26.00	24.480
699	G101896	138.00	10.00	10.857
700	13392	139.70	7.35	8.251
701	13405	140.00	4.00	4.614
702	S6304	140.00	8.00	8.957
703	13432	140.00	9.00	10.001
704	G101087	140.00	10.00	11.027
705	13424	140.00	10.50	11.534
706	13832	140.00	15.00	15.904
707	13587	140.00	17.50	18.184
708	13747	140.00	20.00	20.358
709	13687	140.00	24.00	23.615
710	G101853	141.30	6.553	7.490
711	13477	141.30	9.53	10.652
712	13699	141.30	9.53	10.652
713	13731	141.50	23.25	23.320
714	G100694	142.00	11.50	12.730
715	13279	143.00	6.00	6.972
716	13439	143.00	29.00	28.042
717	13457	144.00	35.25	32.516
718	13357	145.00	7.50	8.747
719	13244	145.00	32.50	31.013
720	13534	146.00	17.50	19.075
721	13426	147.00	4.50	5.439
722	13361	150.00	2.00	2.511
723	13717	150.00	2.80	3.496
724	13794	150.00	3.00	3.741
725	13509	150.00	5.00	6.150
726	13644	150.00	6.50	7.912
727	13501	150.00	13.60	15.735
728	13476	152.00	10.00	12.045
729	13400	152.00	31.00	31.817
730	13499	153.00	22.50	24.906
731	13484	153.50	13.25	15.763
732	13547	153.60	44.00	40.905
733	13406	154.00	4.00	5.089
734	13563	154.00	5.00	6.319
735	13522	155.00	2.50	3.234
736	13753	155.00	2.50	3.234
737	13373	155.00	16.00	18.865
738	G100769	155.00	23.50	26.212
739	13663	155.00	30.50	32.209
740	13594	156.00	8.00	10.043
741	13456	156.00	29.50	31.654
742	13803	158.00	3.00	3.944
743	13543	158.00	4.00	5.225
744	13246	159.00	4.50	5.897
745	13123	160.00	5.50	7.208

SL. No.	Section No.	ØA	B	Weight kg/m
746	13440	160.00	5.50	7.208
747	13428	160.00	6.00	7.838
748	13402	160.00	8.00	10.314
749	G100153	160.00	10.00	12.723
750	13688	160.00	11.00	13.902
751	13511	160.00	13.00	16.210
752	13797	160.00	17.50	21.153
753	13559	160.00	25.50	29.092
754	G101610	160.00	27.50	30.907
755	13529	160.00	35.00	37.110
756	13528	160.40	4.00	5.307
757	13249	162.00	11.00	14.089
758	13718	164.00	6.00	8.041
759	G100335	165.00	3.00	4.122
760	13538	165.00	4.50	6.126
761	S5668	165.00	10.00	13.148
762	G100107	165.00	42.50	44.161
763	13474	165.00	44.50	45.484
764	13724	165.10	25.40	30.098
765	G101571	165.10	19.05	23.600
766	13702	167.00	6.00	8.194
767	13351	168.00	4.50	6.240
768	13415	168.00	7.50	10.210
769	13648	168.00	9.00	12.138
770	13518	168.00	25.00	30.324
771	13726	168.28	7.11	9.720
772	13813	168.30	3.00	4.206
773	13660	168.30	3.50	4.893
774	13502	168.30	10.97	14.640
775	13544	169.00	4.50	6.279
776	13550	170.00	5.00	6.998
777	13650	170.00	8.00	10.993
778	13675	170.00	8.50	11.644
779	G100779	171.00	19.50	25.059
780	G101728	171.00	4.00	5.666
781	13290	172.00	10.00	13.741
782	13287	172.00	17.00	22.350
783	13537	173.00	19.00	24.819
784	13285	173.00	24.00	30.333
785	13161	173.80	6.40	9.087
786	G100808	174.00	12.00	16.490
787	13425	175.00	15.00	20.358
788	13573	175.00	22.50	29.105
789	13793	176.00	3.00	4.402
790	13805	176.00	3.00	4.402
791	13289	177.80	12.70	17.785
792	13701	178.00	8.00	11.536
793	13516	178.00	20.50	27.387
794	13433	180.00	6.50	9.566
795	13836	180.00	10.00	14.420

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
796	13275	180.00	15.00	20.993
797	13352	184.00	4.50	6.851
798	13756	184.00	8.00	11.943
799	G100669	184.50	2.66	4.103
800	13356	184.50	6.00	9.084
801	13535	185.00	11.00	16.235
802	G100534	185.00	45.00	53.438
803	G100155	186.00	6.00	9.161
804	13247	190.00	5.00	7.846
805	13560	190.00	9.00	13.818
806	13627	192.00	42.50	53.894
807	S6520	194.00	32.00	43.972
808	13503	195.00	13.50	20.784
809	13350	195.00	17.50	26.348
810	13680	195.00	20.00	29.688
811	13629	195.00	23.00	33.556
812	13354	195.00	25.00	36.050
813	13452	195.00	29.50	41.413
814	S5669	196.00	10.50	16.521
815	13811	197.00	4.00	6.548
816	13677	197.00	31.00	43.650
817	13353	200.00	4.50	7.462
818	13631	200.00	5.00	8.270
819	13693	200.00	6.00	9.873
820	13403	200.00	8.00	13.029
821	13622	200.00	10.00	16.116
822	G100807	200.00	12.00	19.136
823	G100165	200.00	25.00	37.110
824	G101612	200.00	32.50	46.176
825	13497	202.00	9.53	15.559
826	13472	202.00	18.50	28.795
827	G100390	202.00	18.50	28.795
828	13623	203.20	6.35	10.603
829	G100768	203.00	31.50	45.824
830	G101897	205.00	3.20	5.478
831	G102384	205.00	3.50	5.982
832	13539	205.00	5.00	8.482
833	13280	205.00	27.00	40.765
834	G100770	205.00	45.00	61.073
835	13418	206.00	8.50	14.240
836	13464	207.00	28.50	43.152
837	13545	210.00	5.00	8.694
838	13557	210.00	5.00	8.694
839	13513	210.00	15.00	24.811
840	13740	214.00	9.00	15.650
841	13814	215.80	3.00	5.415
842	G100529	219.08	8.179	14.632
843	13519	220.00	6.50	11.771
844	13590	220.00	8.00	14.386
845	13580	220.00	9.50	16.962

SL. No.	Section No.	ØA	B	Weight kg/m
846	G100391	220.00	9.50	16.962
847	13642	220.00	10.00	17.813
848	13532	220.00	17.50	30.059
849	13789	223.00	8.50	15.465
850	G101378	223.00	11.50	20.631
851	13619	224.00	11.00	19.874
852	13478	225.00	5.00	9.331
853	13434	225.00	6.50	12.047
854	13572	225.00	20.00	34.777
855	13475	226.00	11.00	20.061
856	13656	226.00	42.00	65.551
857	G100679	227.00	8.50	15.754
858	13596	227.00	12.50	22.743
859	13676	229.00	24.00	41.733
860	13551	230.00	5.00	9.543
861	13636	230.00	25.00	43.472
862	13635	230.00	28.00	47.976
863	13679	230.00	13.00	23.929
864	G101609	230.00	25.00	43.472
865	13568	234.00	27.00	47.408
866	13410	235.00	8.00	15.404
867	13741	235.00	9.00	17.253
868	G103061	235.00	10.00	19.085
869	13838	238.00	5.00	9.882
870	13835	240.00	15.00	28.628
871	13819	240.00	40.00	67.858
872	13463	242.00	19.50	36.803
873	13574	245.00	35.00	62.345
874	13738	246.00	20.00	38.340
875	13651	246.00	30.00	54.965
876	13482	250.00	5.00	10.391
877	13799	250.00	6.00	12.418
878	13694	250.00	8.00	16.422
879	G100810	252.00	6.00	12.520
880	13669	252.00	11.00	22.487
881	13473	252.00	17.00	33.887
882	13555	252.00	17.00	33.887
883	13546	260.00	5.00	10.815
884	13708	262.00	6.00	13.029
885	13788	264.00	7.00	15.260
886	13558	270.00	5.00	11.239
887	13514	270.00	14.00	30.401
888	G100684	270.00	20.00	42.412
889	13431	271.00	8.00	17.847
890	13681	275.00	5.00	11.451
891	13435	275.00	7.50	17.018
892	13689	279.40	15.88	35.496
893	13856	280.00	32.50	68.230
894	13818	280.00	45.00	89.700
895	13634	282.00	8.50	19.719

All dimensions in mm.

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
896	13554	290.00	5.00	12.087
897	13834	290.00	15.00	34.989
898	G100680	290.00	18.00	41.529
899	G100502	296.00	8.00	19.543
900	13812	297.00	15.00	35.880
901	S5729	300.00	10.00	24.599
902	13739	300.00	12.70	30.949
903	S6305	300.00	30.00	68.707